



# HOT DEALS

2025-2



EINFACH VIGOR.

Valid from 01/09/2025 to 28/02/2026 – errors excepted



HOT25-2/EN/XX/0

V4481-XXL/929

EAN 4047728082303

**VIGOR**  
SERIES **XXL**

# In a class of its own!


» With stainless  
steel worktop

» Drawer slide out  
**100 %**




## EXTRA DEEP + EXTRA WIDE!







Including socket strip  
with 2x USB and  
2x USB-C as well as  
2-metre H07 cable  
with safety plug



Discover a  
new dimension  
of reality!



# ASSORTMENT including tool trolley with stainless steel worktop



**929** +  
tools including  
tool trolley



Including  
can holder  
V2393-XD




You can find the  
list of items for the  
tool trolley here!

**+929**

Price including tool trolley

# The space saver!

**VIGOR**  
**SERIES XD**


» With stainless steel worktop



## EXTRA DEEP!


## ASSORTMENT 1

V6821

V6822

V6807N

V6808N




V6813

V6814

V6565

V6816N



You can find the list of items for the tool trolley here!

# 469

tools including tool trolley

VIGOR No.	XX	Designation	EAN 4047728+
V4481-XD/469	469	Tool trolley with stainless steel worktop and assortment 1	068512

# ASSORTMENT 2


V6821




V6822



V6809



V6810



V6807N



V6808N



V6813



V6814



V6565



V6816N



V6817



V6818



V6811



V6812



You can find the  
list of items for the  
tool trolley here!

# 775

tools including  
tool trolley

VIGOR No.



Designation

EAN  
4047728+

V4481-XD/775

775

Tool trolley with stainless steel worktop and assortment 2

068529

## VIGOR SERIES XL

**XL**




With stainless steel worktop



**Tool trolley available  
with assortment 1, 2 or 3!**



**Drawers:**  
• 7x flat  
• 1x high




With plastic worktop

**Tool trolley available  
with assortment 1, 2 or 3!**



**Drawers:**  
• 7x flat  
• 1x high



## ASSORTMENT 1

V4971N

V4973N

V4975N

V7323

V4727



V5170



V4729




**499** tools including  
tool trolley

## ASSORTMENT 2

V4586



V6650N



V5170



You can find the  
list of items for the  
tool trolley here!

## ASSORTMENT 3


V4586



V5170



**375** tools including  
tool trolley




VIGOR No.		Designation	EAN 4047728+
<b>V4481-X/499</b>	499	Tool trolley with stainless steel worktop and assortment 1	<b>062367</b>
<b>V5434</b>	499	Tool trolley with plastic worktop and assortment 1	<b>054348</b>



## 466 tools including tool trolley



VIGOR No.		Designation	EAN 4047728+
<b>V4481-X/466</b>	466	Tool trolley with stainless steel worktop and assortment 2	<b>074674</b>
<b>V4481/466</b>	466	Tool trolley with plastic worktop and assortment 2	<b>NEW 088329</b>



VIGOR No.		Designation	EAN 4047728+
<b>V4481-X/375</b>	375	Tool trolley with stainless steel worktop and assortment 3	<b>062350</b>
<b>V4542</b>	375	Tool trolley with plastic worktop and assortment 3	<b>045421</b>



## VIGOR SERIES L




With stainless steel worktop



**Tool trolley available with assortment 1, 2 or 3!**



**Drawers:**  
• 7x flat  
• 1x high




With plastic worktop

**Tool trolley available with assortment 1, 2 or 3!**



**Drawers:**  
• 6x flat  
• 2x high




## ASSORTMENT 1

V4188



V4753



V5004



V5072



V5633N



V6811




## ASSORTMENT 2

V4188



V4753



You can find the list of items for the tool trolley here!


**376**  
tools including  
tool trolley

## ASSORTMENT 3

V4188



V6643N



You can find the list of items for the tool trolley here!

**344**  
tools including  
tool trolley

V6724N




V5006



V5017



V4995



V5068



V4991



V5070





You can find the list of items for the tool trolley here!

# 442 tools including tool trolley

VIGOR No.		Designation	EAN 4047728+
<b>V1901-X/442</b>	442	Tool trolley with stainless steel worktop and assortment 1	<b>084338</b>
<b>V1901/442</b>	442	Tool trolley with plastic worktop and assortment 1	<b>NEW 088336</b>

V6724N



V5068



V5070



V5006



V5633N



V5603



V7324



VIGOR No.		Designation	EAN 4047728+
<b>V1901-X/376</b>	376	Tool trolley with stainless steel worktop and assortment 2	<b>084192</b>
<b>V1901/376</b>	376	Tool trolley with plastic worktop and assortment 2	<b>080293</b>

V4230



V5637N



V2837



VIGOR No.		Designation	EAN 4047728+
<b>V4560-X</b>	344	Tool trolley with stainless steel worktop and assortment 3	<b>084178</b>
<b>V4560</b>	344	Tool trolley with plastic worktop and assortment 3	<b>045605</b>



## With stainless steel worktop

**VIGOR**  
SERIES **L**




### Tool trolley advantages

- Compact design
- Saves a lot of space in the workshop
- Stainless steel worktop is insensitive to dirt
- Including 7 inserts

### Drawers:

- 7x flat
- 1x high

Edge protection



VIGOR No.	Designation	EAN
<b>V1901-X</b>	Tool trolley Series L · empty	<b>083072</b>

## With wooden worktop

**VIGOR**  
SERIES **L**




### Work bench advantages

- Robust wooden worktop
- Vice V6150N can be screwed on (not included in delivery)
- Door allows large tools to be stowed away
- Including 7 inserts





### Drawers:

- 7x flat
- 1x high



VIGOR No.	Designation	EAN
<b>V4813</b>	Mobile work bench Series L · empty	<b>048132</b>

**ASSORTMENT**



**298**


tools including tool trolley



You can find the  
list of items for  
V1901-X/NKW here!



You can find the  
list of items for  
V4813/NKW here!

VIGOR No.		Designation	EAN 4047728+	
V1901-X/NKW	298	Tool trolley with stainless steel worktop and assortment	085601	
V4813/NKW	298	Workbench with wooden worktop and assortment	085687	






With mat

**Tool trolley  
available  
with assortment  
1 or 2!**

**Drawers:**  
• 5x flat  
• 2x high

L x W x H  
681 x 460 x 1016 mm




## ASSORTMENT 1


V5116



V2837



V6726N



V5111N



**320**  
tools including  
tool trolley



You can find the  
list of items for the  
tool trolley here!

VIGOR No.	XX	Designation	kg	EAN 4047728+
V2712N	320	Tool trolley with mat and assortment 1	77	055451

## ASSORTMENT 2


V5116



V5111N



V6726N



**256**  
tools including  
tool trolley



You can find the  
list of items for the  
tool trolley here!

VIGOR No.	XX	Designation	kg	EAN 4047728+
V2379N	256	Tool trolley with mat and assortment 2	72	055444

# Your tool deserves a better home!

Find the perfect empty tool trolley for your needs. Individual just like you! You decide. Come and snap up the perfect model for you!

## Series M – Small but mighty

**VIGOR SERIES M**


400 kg  
Total loading capacity

**V5489**  
EAN 4047728**054898**

Price with foam mat



20 kg  
L: 681 mm  
W: 460 mm  
H: 1016 mm



## Series L – The all-rounders

**VIGOR SERIES L**

500 kg  
Total loading capacity

**V1901**  
EAN 4047728**019019**

Price with plastic worktop



25 kg  
L: 733 mm  
W: 481 mm  
H: 1002 mm



**25%**  
25% more drawer capacity compared to Series M

Price with stainless steel worktop

**V1901-X**  
EAN 4047728**083072**

## Series XL – Bigger is better

**VIGOR SERIES XL**

500 kg  
Total loading capacity

**V4481**  
EAN 4047728**044813**

Price with plastic worktop



25 kg  
L: 949 mm  
W: 523 mm  
H: 1017 mm



**33%**  
33% more drawer capacity compared to Series M

Price with stainless steel worktop

**V4481-X**  
EAN 4047728**060721**

## Series XD – The space saving boss

**VIGOR SERIES XD**


500 kg  
Total loading capacity

**V4481-XD**  
EAN 4047728**066488**

Price with stainless steel worktop



30 kg  
L: 986 mm  
W: 695 mm  
H: 1017 mm




**53%**  
53% more drawer volume compared to Series XL

## Series XXL – For everything big

**VIGOR SERIES XXL**

1000 kg  
Total loading capacity



30 kg  
60 kg  
L: 1615 mm  
W: 686 mm  
H: 1035 mm



**Monster drawer**

Price with stainless steel worktop





**V4481-XXL**  
EAN 4047728**080491**



## STARTER KIT · 700 mm DEPTH

### Storage system

- 3-module combination in wide and deep design
- Available with wooden or stainless steel worktop
- Including side veneer
- 700 mm full extension






VIGOR No.	Designation	EAN 4047728+
<b>V6000-3P1XLD</b>	Storage system combination · starter kit · wooden	<b>087001</b>
<b>V6000-3P1XLD-X</b>	Storage system combination · starter kit · stainless steel	<b>086998</b>

## COMPACT KIT · 700 mm DEPTH

### Storage system

- 3-module combination in wide and deep design with perforated panel structure and wall cabinets
- Extra-deep high cabinet with double-hinged door
- Available with wooden or stainless steel worktop
- Including side veneer
- 700 mm full extension





VIGOR No.	Designation	EAN 4047728+
<b>V6000-3XD</b>	Storage system combination · compact kit · wooden	<b>087018</b>
<b>V6000-3XD-X</b>	Storage system combination · compact kit · stainless steel	<b>087025</b>

**V6000-063XD**

EAN 4047728086158

**700 mm DEPTH****Pull-out cupboard**

- Robust sheet-steel design, fully assembled
- 2 doors with internal hinges and hidden closing linkages
- Maximises the available storage room thanks to efficient vertical use, ideal for areas with limited space
- Pull-out shelves allow for quick access
- Four vertical slide-out perforated tool panels with a double-sided hole matrix 1590 x 490 mm (max. loading capacity 120 kg per panel)
- Punching 9 x 9 mm, hole matrix 38 x 38 mm, suitable for VIGOR accessories
- For storing tools, workwear, hoses, cables
- Wall installation required

**» Wall installation required!**



**Everything within reach and perfectly organised –  
our pull-out cupboard is your new stylish workshop shelf!**

**V6000-057XL**

EAN 4047728083065

**Washbasin lower cabinet**


- Full-length sink made of 18/10 stainless steel
- Can be retrofitted into existing systems
- Ready for a tap to be installed
- Includes a continuous back panel and drain hose

**Drain set included**

## CLOSED BACK PANELS

- Robust metal construction for long-lasting use
- Powder-coated surface – scratch-resistant and rust-proof
- Closed back prevents small parts from falling through
- Ideal for wall mounting or as part of work bench systems
- Flexibly expandable thanks to modular design

**New**



	VIGOR No.	Designation	EAN 4047728+
①	<b>V6000-05S-EG</b>	Closed rear panel: 676 x 301 mm	<b>088169</b>
②	<b>V6000-015S-EG</b>	Closed rear panel: 861 x 301 mm	<b>088176</b>

**V6000-047LRS-E**

EAN 4047728**082921**

### Perforated tool panel bracket set · short · left and right

- Made of high-quality steel – galvanised or powder-coated
- Quick and easy to use – without additional tools
- Secure hold thanks to stable snap-in technology
- Compatible with our perforated tool panels
- Resilient, dimensionally stable, made for professional demands

**New**



**V6000-047MS-E**

EAN 4047728**082891**

### Perforated tool panel bracket set · short · central

- Made of high-quality steel – galvanised or powder-coated
- Quick and easy to use – without additional tools
- Secure hold thanks to stable snap-in technology
- Compatible with our perforated tool panels
- Resilient, dimensionally stable, made for professional demands


**New**



## SEPARATION SHEET SETS

- Sorting of small parts in tool trolleys or storage system lower cabinets
- All four divider plate sizes are compatible with the separation sheet set
- Divider plates can be inserted into each other thanks to asymmetrical punching
- Hot-dip galvanized surface prevents rust formation

MADE IN GERMANY



**Asymmetrical punching allows the divider plates to be placed side by side within a row!**

### V6688-XLD

- Separation sheet set for the flat drawers of the extra-deep lower cabinets of the VSS system
- Inside dimensions: 75 x 753 x 570 mm
- Suitable for article V6000-031XD and V6000-01XD

### V6688H-XLD

- Separation sheet set for high drawers of the extra-deep lower cabinets of the VSS system
- Inside dimensions: 154 x 753 x 570 mm
- Suitable for article V6000-031XD and V6000-01XD

VIGOR No.	Designation		EAN 4047728+
<b>V6688</b>	Separation sheet set, Series M and Series L	5	<b>070249</b>
<b>V6688-XL</b>	Separation sheet set, Series XL	6	<b>070096</b>
<b>V6688-XD</b>	Separation sheet set, Series XD	6	<b>070089</b>
<b>V6688H</b>	Separation sheet set · high · Series M and Series L	5	<b>080958</b>
<b>V6688H-XD</b>	Separation sheet set · high · Series XD	5	<b>081009</b>
<b>V6688H-XL</b>	Separation sheet set · high · Series XL	5	<b>081580</b>
<b>V6688-XLD</b>	Separation sheet set VSS XLD	6	<b>088350</b>
<b>V6688H-XLD</b>	Separation sheet set · high · VSS XLD	6	<b>088435</b>

**NEW**



Whether on your tablet, laptop or computer.  
**Configure your customised storage system!**



# KONVIGORATOR

[www.vigor-equipment.com/konfigurator](http://www.vigor-equipment.com/konfigurator)

### New additional functions


- Customers can now configure a **U-shape** in addition to the familiar row and corner configurations
- Existing storage system packages can be selected and extended
- Short perforated tool panel brackets – for just one perforated tool panel plate – can be configured

\*Latest system software required



Click here for the  
ConVIGORator

**New**



**V2470N**

EAN 4047728087612

## Inch tool case

- For manual operation
- Comprehensive tool set with inch dimensions – ideal for vehicles from the American market
  - FORD Mustang
  - CHEVROLET Camaro
  - DODGE Charger
  - JEEP Wrangler
  - HARLEY DAVIDSON
  - and many more.
- Robust case for safe transport of tools
- Robust reversible ratchet with fine toothing for precise work


**New**


- 5/32 · 3/16 · 7/32 · 1/4 · 9/32 · 5/16 · 11/32 · 3/8 · 7/16 · 1/2"
- 1/4 · 5/16 · 3/8 · 7/16 · 1/2"
- 1/2 · 9/16 · 19/32 · 5/8 · 11/16 · 3/4 · 25/32 · 13/16 · 7/8 · 15/16 · 1"
- 9/16 · 5/8 · 11/16 · 3/4"
- 1/4 · 5/16 · 3/8 · 7/16 · 1/2 · 9/16 · 5/8 · 11/16 · 3/4"
- 1/16 · 5/64 · 3/32 · 1/8 · 5/32 · 3/16 · 1/4 · 5/16 · 3/8"
- 150 mm
- 198 mm
- 5/8 · 3/4 · 13/16"

92

**V3734N**

EAN 4047728056427

## Socket set

- For manual operation



23

**V2414N**

EAN 4047728056434

## Socket set

- For manual operation




46

**V2461N**

EAN 4047728056472

**Socket set**

• For manual operation

**172****V5461**

EAN 4047728080323

**Socket set**


• For manual operation

**12-point****133****V3277N**

EAN 4047728056489

**Socket set**


• For manual operation

**212****V4425N**

EAN 4047728058919

**Tool set**


• For manual operation

**95****V2318N**

EAN 4047728059299

**3/4" Socket set**

• For manual operation

**21****V7920N**

EAN 4047728081702

**T-plus socket set**

• For manual operation

**60**

**V4914**
**EAN 4047728087230**


## T-handle ratchet

- Ideal for precise screwdriving work in confined spaces
- Switching function for quick changeover between forward and reverse
- Can be converted to a T-handle – for maximum force transmission with tight screws
- Fine-toothed for controlled work with a low return angle
- Ergonomic design for comfortable handling even during long periods of use


**6.3 1/4"**
**New**


## FINE-TOOTH REVERSIBLE RATCHETS

- Robust and service-friendly
- Closed system
- Easy to clean
- 72 teeth
- 5° operating angle
- For manual operation



VIGOR No.		Length mm	EAN 4047728+
<b>V4944</b>	<b>6.3 1/4"</b>	200	<b>049443</b>
<b>V4945</b>	<b>10 3/8"</b>	275	<b>049450</b>
<b>V4946</b>	<b>12.5 1/2"</b>	380	<b>049467</b>

**V4970**
**EAN 4047728086219**

## Telescopic ratchet set

- 180° swivel head with locking mechanism
- Quick-release press-button
- For manual operation
- Including extension 75 and 250 mm

**6.3 1/4" 10 3/8" 12.5 1/2" 20 3/4"**  
**6.3 1/4" 10 3/8" 12.5 1/2" 20 3/4"**
**S**


**17**

VIGOR No.	Designation	EAN 4047728+
<b>V4970-L</b>	Telescopic ratchet insert S - empty	<b>086110</b>

**V7016/6**
**EAN 4047728087285**

## Glow plug extractor set

- Hinge on the socket for optimum accessibility even in tight spaces
- Integrated magnet holds the glow plug securely – no falling out during removal
- Gentle and precise disassembly – reduces the risk of breakage of sensitive glow plugs
- Robust quality for professional workshop use
- Ideal for diesel vehicles in the passenger car and commercial vehicle sector
- **Wrench sizes: 8, 9, 10, 12, 14, and 16 mm**


**10 3/8"**
**New**

**6**

**V7513**

EAN 4047728087728

**Universal joint socket set\***

10 3/4"

**New**

- For manual operation
- Ideal for screwdriving work on engines, gearboxes, chassis and tight installation spaces
- No additional universal joint required – compact and efficient
- Wrench sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



10

\*Also available individually!

**V4883**


EAN 4047728087841

**Flexible handle 990MM 3/4"**

20 3/4"

**New**

- Extra long and robust design
- 180° swivelling head
- Ideal for loosening tight bolts and nuts on trucks, passenger cars and construction and agricultural machinery

**V5034/3**

EAN 4047728086318

**Impact extension set\***

20 3/4" 20 3/4"

- Material: Cr-Mo
- For impact operation
- Ideal for hard-to-reach places
- Lengths: 100, 200 and 400 mm



3

\*Also available individually!

**V7212N**

EAN 4047728087858

**Impact socket set**

20 3/4"

**New**

- Common screw connections for VAG vehicles, e.g. brake carriers, central drive shafts, shock absorbers or screwed wheel bearing units
- Surface: burnished, oiled
- For impact operation



7

**V5010/12**

EAN 4047728086981

**Screwdriver with impact cap · including square**

6.3 1/4"

- 2-component handle
- Screwdriver with impact cap
- Hexagon at the blade
- 1/4" square in the impact cap



12

# PIPE WRENCHES

- Robust cast iron pliers body enables high power transmission
- Quick canting and release on the workpiece due to internal spring
- Coarse jaw serration for optimum grip

V5639-6  
Jaw opening: up to 33 mm

V5639-8  
Jaw opening: up to 46 mm

V5639  
Jaw opening: up to 60 mm

V5639-24  
Jaw opening: up to 88 mm



**Our four pipe wrenches –  
Your problem-solving team**

**HEAVY DUTY**  
Continuously adjustable



VIGOR No.	Length mm	kg	EAN 4047728+
<b>V5639-6</b>	130	0.23	<b>086134</b>
<b>V5639-8</b>	170	0.39	<b>086127</b>
<b>V5639</b>	350	1.3	<b>075589</b>
<b>V5639-24</b>	620	3.2	<b>081719</b>

**V6050**

EAN 4047728**086141**

## One-hand multifunctional wrench

- Chrome-vanadium
- Multifunctional wrench with ratchet function
- Automatic adjustment to the screw size
- Wrench sizes: 8 – 17 · 14 – 32
- Self-clamping
- Line wrench
- Ratchet function




**V6200-XXL**

EAN 4047728087940

**Drift pin set · 3 pieces · 18, 22, 25 mm**


- Drift pins made of hardened tool steel in XXL format with sturdy hand guard
- For driving through axles, shafts, bolts, splint pins and pins in the following sectors:
  - Commercial vehicles
  - Agricultural machinery
  - Motor vehicles
  - Motorcycles
  - Industry
  - Trade

**New****HEAVY DUTY****3****V1001/2**

EAN 4047728086752

**Impact rod set**


- Diameter 25 mm and 16 mm
- Exchangeable nylon caps
- Impact rod 25 mm with steel ball filling (non-rebound)
- Extension for hammer
- Precise and secure impact possible

**2****V2338-XL**

EAN 4047728071444

**Mechanic's mat**

- Comfortable working on the floor in the workshop, in industry, in the garden or in the household
- Large lying surface
- High-quality foam
- Low-impact
- Pliant and heat-retaining foam
- With two handles

**V1886/3**

EAN 4047728086387

**Wooden filing set**

- Versatile set with 3 file shapes: flat, half-round, round
- Teeth (cut): 2 = medium
- Ergonomic handle shape for a secure grip and comfortable working
- Ideal for workshops, trade and industry

**New****3****Workshop filing set**

- Versatile set with 5 file shapes: flat, half-round, round, triangular, square
- Teeth (cut): 2 = medium
- Ergonomic handle shape for a secure grip and comfortable working
- Ideal for workshops, trade and industry

**New****5**

**V1571N**

EAN 4047728088077

## Steering wheel level

- For alignment of the steering wheel during axle alignment and work around the steering column
- Universally suitable for steering wheels with an inner diameter of 170 mm to 250 mm and 280 mm to 350 mm
- Optimum centring and clamping due to spring force
- Easy to read
- Can be used for passenger cars, vans and trucks
- Using the steering wheel level prevents complaints due to a misaligned steering wheel after track adjustment


**New**
**V2499N**

EAN 4047728087933

## Lever crimping pliers set · 6 pieces

- **Parallel crimping dies prevent unevenly crimped connections, unlike standard crimping pliers**
- Good leverage ratios allows reduced manual force
- Forced locking guarantees consistent crimping results
- Quick-change function for the five interchangeable crimping dies with increased crimping performance and optimised contact surface:
  - Crimping die A: for insulated cable lugs from 0.5 – 6.0 mm<sup>2</sup> (red, blue, yellow)
  - Crimping die B: for closed, non-insulated cable lugs of 1.5 · 2.5 · 6.0 · 10 mm<sup>2</sup>
  - Crimping die C: for open, non-insulated cable lugs from 0.5 – 6.0 mm<sup>2</sup> (width up to 6.3 mm)
  - Crimping die D: for wire end sleeves with or without collar from 0.5 – 4.0 mm<sup>2</sup>
  - Crimping die F: for wire end sleeves 6.0 mm<sup>2</sup>


**New**


**V7524**

EAN 4047728081320

**Flue gas leakage tester****For leakage detection in closed systems**

- Leaks are quickly visualised through the application of flue gas
- Operation via the 12 V on-board power supply
- Pressurisation by means of "Luff" ("air") mode and integrated manometer possible without further aids
- Smoke generation with suitable aid (we recommend our diagnostic liquid V7524-10)
- Universal application possibilities thanks to various adapters
- Built-in air compressor
- Automatic safety shutdown in case of imminent overheating
- Infinitely adjustable air flow

**Diverse application possibilities, for example:**

- Intake and boost pressure system
- Crankcase
- Exhaust gas and exhaust gas recirculation system
- Fuel system
- Adblue and additive system
- Tyres
- EVAP fuel system (US vehicles)
- Car body and glazing (wind noise, moisture penetration, etc.)



**The indispensable diagnostics tool for your workshop**

**25****V7524-10**

EAN 4047728084321

**Diagnostic liquid**

- Ready-to-use diagnostic liquid for the generation of dense, white and odourless vapour in the VIGOR V7524 flue gas leakage tester
- The liquid is non-toxic and biodegradable
- The quantity of 250 ml is sufficient for numerous applications



**The perfect solution for every diagnosis – 250 ml diagnostic liquid!**

*Included in delivery***V7501-39**

EAN 4047728082037

**Video borescope with probe 3.9 mm****Analysis and documentation of damage patterns in difficult to access spaces!**

- Probe: Ø 3.9 mm
- Probe length: 1000 mm
- Camera resolution: 1280 x 720 (corresponds to HD quality)
- Camera viewing angle: 80°
- 6 dimmable LEDs
- Depth of field: 20 – 80 mm
- 5" display, swivelling
- Display resolution: 1280 x 720 pixels
- 6 Ah, 3.7 V Li-ion rechargeable battery
- 2A/5V power supply unit, USB charging cable and 32 GB TF memory card included in delivery



Screen can be moved freely in all directions



Ø 3.9 mm



Swivels 180° on both sides



**V4368**

EAN 4047728087711

## Pressure filling pump · manual

- For easy, effortless filling of vehicle gearboxes (e.g. manual, automatic, DCT)
- Pressure build-up via spring force
- Large fill opening
- Suspension hook for safe filling and storage of the pump
- Flow regulation by means of a shut-off valve
- Rollaway protection
- Connection piece diameter 10 mm (inside 6 mm)


**New**

**V4385N**

EAN 4047728072601

## Oil filling device with adapter set

- Filling gearboxes and differentials with oil
- Incl. oil pan and 16 adapters for vehicles with very limited installation space



18

**V7289**

EAN 4047728086653

## Gear oil adapter for VAG 7-speed · 8-speed DCT

- Filling the 7-speed DQ 200 and 8-speed ZF 8DT using the gearbox vent
- Similar to OEM tool ASE40910100000


**V6300-8**

EAN 4047728068970

## Oil drain pan · 8 l

- Collection / transfer of liquids such as oil, brake fluid or water
- The drain opening has a ridge and prevents uncontrolled overflowing of the liquid being refilled
- The litre scale in the pan indicates the amount filled
- Holding device for oil filter



V1963/28

EAN 4047728081467


## Cooling system diagnosis set

New adapter series with approx. 20% space saving per adapter!

- Comfortable and efficient work, by reaching almost all expansion tanks
- Greatest market coverage
- Passenger car diagnostics
- Complete set for service work on the cooling system and heating circuit
- Comprehensive range of adapters for vehicles with water-cooled engines
- 3 features: pressure test (check for leaks in radiator system) · filling · cleaning
- Control of pressure loss via manometer
- Filling creates a vacuum in the radiator system (Advantage: coolant is sucked in without air bubbles)
- Enables filling of even large engines without thermal influences
- Universal usage due to conical rubber radiator adapter
- Measuring range: 0 – 2.5 bar



New adapter series with approx. 20% space saving per adapter!



new

old

» **Largest model coverage  
on the market! Compatible  
with hybrid vehicles!**

28



V1963N-P

EAN 4047728088060

Cooling system  
diagnostics adapter  
PORSCHE

- M78.3 x 3.0
- PORSCHE 718 Boxster, 2020-2025
- PORSCHE Boxster 981, 2013-2025
- PORSCHE Cayman 981, 2013-2025

NEW



V1963N-SX

EAN 4047728088053

Cooling system  
diagnostics adapter  
TESLA

- M52 x 2.5
- TESLA Model S, 2012-2025
- TESLA Model X, 2015-2025

NEW



V1963N-3Y

EAN 4047728088046

Cooling system  
diagnostics adapter  
TESLA

- M42 x 3
- TESLA Cybertruck, 2023-2025
- TESLA Model 3, 2017-2025
- TESLA Model Y, 2020-2025

NEW













**V5771**

EAN 4047728088008

**1/2" Impact wrench**

**12<sup>5</sup> 1/2"**
**1/2"**  
**1200 Nm**
**New**











								
Ø mm	Nm	max. Nm	max. Nm	rpm	kg	l/min.	bar	m/s <sup>2</sup>
12,91 (w)  7,2	600	850	1200	10500	1.33	141.5	6.3	10.2

**V4801**

EAN 4047728088015

**1/2" Impact wrench**

**12<sup>5</sup> 1/2"**
**Update:**  
**New**  
**standards!**
**1/2"**  
**1800 Nm**
**New**

								
Ø mm	Nm	max. Nm	max. Nm	rpm	kg	l/min.	bar	m/s <sup>2</sup>
12,91 (w)  7,2	850	1100	1800	7500	2.02	198	6.3	8.71

**V6312/12**

EAN 4047728083423

**1/2" Impact socket set**

- Damage-free operation of wheel bolts by rotating plastic sleeve
- Comprehensive set with all required sockets
- For impact operation
- Size 15 + 17 + 18.5 + 19 + 19.5 + 20.5 + 21 + 21.5 + 22 + 22.2
- KIA, HYUNDAI and MERCEDES-BENZ special profiles

 **12<sup>5</sup> 1/2"**


FORD



KIA



MERCEDES-BENZ


**12**


**V6850/6**EAN 4047728**087629****Bolt cleaner**

- For quick and effective cleaning of wheel bolts and stud bolts
- Removes rust, dirt and adhesions for optimum contact surfaces
- Ensures correct fit of the rim and prevents assembly problems
- Suitable for use with cordless screwdriver or drilling machine
- 1/2" Socket

**New****V6850-13**

Ø 13 mm

**V6850-14**

Ø 14 mm

**V6850-22**

Ø 22 mm

**V6850-12**

Ø 12 mm

**V6850-16**

Ø 16 mm

**V6850-18**

Ø 18 mm

VIGOR No.	Ø mm	Designation	EAN 4047728+	
<b>V6850-12</b>	12	Bolt cleaner	<b>087636</b>	
<b>V6850-13</b>	13		<b>087643</b>	
<b>V6850-14</b>	14		<b>087650</b>	
<b>V6850-16</b>	16		<b>087667</b>	
<b>V6850-18</b>	18		<b>087674</b>	
<b>V6850-22</b>	22		<b>087698</b>	

**8****V7181**EAN 4047728**071819****Tap and die set for wheel bolts and wheel nuts**

- Damaged or rusty threads can result in incorrect torque values
- Repairing and cleaning of wheel bolts and wheel nuts with inside and outside thread
- Can be used directly on the vehicle
- TIN-HSS coated surface
- In plastic case
- Suitable for the following thread sizes:
  - M12 x 1.25 mm
  - M12 x 1.5 mm
  - M14 x 1.5 mm
  - M14 x 1.25 mm


**Update:**  
**M14 – 1.25 mm**

» **Damaged or rusty threads can result in incorrect torque values!**

**15**

**V6917**

 EAN 4047728**069175**

## Brake line ratcheting tube cutter Ø 4.75 mm

- Space saving, with ratchet mechanism
- Ratcheting mechanism in the head of the tool minimises space required – can be used directly on the vehicle
- No readjustment of the cutting wheel due to self-adjustment
- Faster cutting result than with conventional line cutters
- Adjustment of the self-adjusting cutting force possible
- Spare blades V6917-REP


**V4416**

 EAN 4047728**044165**

## Tube flaring tool for Ø 4.75 mm brake lines

- Exclusively for DIN flaring
- Exact positioning of the brake line in the device using a spacing adaptor
- Application on brake and hydraulic lines directly on the vehicle
- For thin-walled lines made of steel, aluminium and copper (metric / inch)
- No damage to coated lines
- For DIN "F" flares 180°


**V1711N**

 EAN 4047728**060738**

## Brake piston readjusting tool set · pneumatic

- Pushing and turning of brake pistons on nearly all passenger cars
- Efficient work on brake systems
- For clockwise and anti-clockwise brake pistons
- In addition to pneumatic support, controlled rewinding by hand is also possible



23


**V7471/17**

 EAN 4047728**077187**

## Brake bleeding complete set

For bleeding brake line systems and changing brake fluids


- Also for bleeding coupling systems
- Easy opening and closing of the brake nipple thanks to special hinge ratchet
- Guarantees fast access to the brake nipple even with the wheel mounted
- Angle coupling in 90° design with back pressure valve and anti-rotation protection
- Sockets: size 7 – 12 mm in short and long versions included in scope of delivery



Take a look!



17



**V4891-1.5**EAN 4047728**088473****Induction heater · 1.5 kW**

- Precise, targeted heating within a few seconds thanks to state-of-the-art microprocessor technology
- No open flame, no risk to hoses, cables or plastic parts
- Convenient pistol grip with LEDs to indicate the operating status and illuminate the work area
- Quick and easy loosening of tight connections by heating via induction
- Versatile use thanks to extensive range of standard accessories
- Fixed coils: Heating of pipes, bolts, profiles
- Flexible coils: for loosening parts that are difficult to access using special winding wire
- Flat coil for heating the car body and sheet metal, makes it easier to remove stickers, sealants etc.
- 1.5 kW output
- 3 m connecting cable, 220 V
- Hose set length 850 mm
- Storage of the handy device in a sturdy plastic case

**New**

- Including 4 coils for almost all application fields
- Extra long hose set 850 mm
- Pistol grip for more comfortable use

	VIGOR No.	Designation	EAN 4047728+	
①	<b>V4891N-1</b>	Fixed coil 19 mm · M8	<b>088527</b>	
②	<b>V4891N-2</b>	Flexible coil · 750 mm	<b>088626</b>	
③	<b>V4891N-3</b>	Fixed coil 26 mm · M12	<b>088619</b>	
④	<b>V4891N-4</b>	Flat coil · inside Ø 24 mm	<b>088602</b>	
⑤	<b>V4891N-5</b>	Focus coil · for precise heating	<b>088589</b>	
⑥	<b>V4891N-6</b>	Fixed coil 15 mm · M6	<b>088596</b>	
⑦	<b>V4891N-7</b>	Fixed coil 45 mm · M22	<b>088572</b>	
⑧	<b>V4891N-8</b>	Flexible coil · ceramic protection	<b>088558</b>	
⑨	<b>V4891N-9</b>	Fixed coil · lateral 45 mm · M22	<b>088565</b>	
⑩	<b>V4891N-10</b>	Fixed coil · lateral 23 mm · M10	<b>088534</b>	

**5****V4891-3.7**EAN 4047728**088039****Induction heater · 3.7 kW**

- Precise, fast heating of components
- Powerful 3.7 kW variant for motor vehicle and commercial vehicle applications
- No open flame, no risk to hoses, cables or plastic parts
- Mobile use thanks to compact design with enormous power
- Extra-long, well-protected hose set of 3.0 m
- Water cooling with 1.5 litre volume
- Delivery includes coolant
- Additional fan for cooling the agent
- Output power can be precisely adjusted for the application fields
- 3.7 kW output

**New**

- Extra-long hose set including robust insulation

- Including 35° angled coil – Total length of the coil 500 mm

	VIGOR No.	Designation	EAN 4047728+	
①	<b>V4891-3.7-1</b>	Focus coil bent 500mm	<b>088510</b>	
②	<b>V4891-3.7-2</b>	Coil 90° angular · surface coil	<b>088503</b>	
③	<b>V4891-3.7-3</b>	Cooling fluid 5 litres	<b>088459</b>	
④	<b>V4891-3.7-5</b>	Round coil · Ø 20 mm	<b>088497</b>	
⑤	<b>V4891-3.7-6</b>	Round coil · Ø 60 mm	<b>088480</b>	
⑥	<b>V4891-3.7-7</b>	Round coil · Ø 100 mm	<b>088466</b>	

**2**

# Walnut blasting machine



**V7550**

EAN 4047728087704



**New**

## Walnut blasting machine

- Reliably removes stubborn and baked-on residues such as soot, oil carbon and other deposits from inlet ducts, intake tracts, combustion chambers and EGR systems – without chemicals or mechanical damage
- Gentle cleaning without risk to valve seats, aluminium parts or sensitive sealing surfaces
- Thanks to the powerful extraction system, it is often possible to clean affected components without prior removal
- Walnut shell granulate as a blasting agent – a biodegradable, non-abrasive material that does not damage sensitive surfaces
- A filter function/screen separates coarse deposits from the blasting material. Blasting material can be reused several times
- Compressed air operation, recommended working pressure 6.3 bar
- With straight and curved lance in solid aluminium spray gun; for accessing hard-to-reach areas
- Extensive range of accessory adapters for almost all intake ducts
- Suction hose length 2.5 m
- Blasting agent hose length 2 m
- 220 V power supply, cable length 3 m
- Steel castors
- Capacity of up to 30 kg of blasting agent
- Includes 5 kg of blasting material on delivery



**Practical storage of all accessories on the back of the device!**



**Extremely high suction power of 1600 W!**



31



**V7550-10**

EAN 4047728088633

## Walnut blasting agent · 10 kg

- Walnut blasting agent with a grain size of 800 µm
- Suitable for walnut blasting machine V7550
- Walnut shells for chemically neutral surface treatment
- Minimises dust formation during blasting



**New**

Your VIGOR specialist dealer:



VIGOR GmbH · Am Langen Siepen 13–15 · 42857 Remscheid · GERMANY  
www.vigor-equipment.com · info@vigor-equipment.com

EINFACH VIGOR.

Valid from 01/09/2025 to 28/02/2026 – errors excepted

HOT25-2/ENVXX/01.08.2025 / 0. RSN/pdf

V5128

EAN 4047728051286

18 / 22†



SUV  
Van



## Standard wheel bearing / wheel hub removal / installation set

- Effective method for removing wheel hubs
- Significant time savings compared to earlier systems
- Together with hydraulic cylinder or manual spindle
- Allows the wheel bearings to be changed directly on the vehicle with minimum time required
- Not necessary to remove the ABS sensor, steering knuckle, strut or steering tie rod
- Wheel alignment and brake bleeding not necessary
- All parts are adapted for the wheel bearing sizes currently found on the market
- Mounting washers have a guide and are usable on both sides
- Mounting washers with Ø 62 – 83 mm and support discs with Ø 34 – 60 mm are included, the bearing shell is suitable for wheel bearings of up to 94 mm Ø



## Basic set

23



V5128-2

EAN 4047728085663



SUV  
Van

18 / 22†

## Expansion set


- Also included: Pneumatic foot pump V2846 and tractive and compressive hydraulic cylinder 22 † V2854



V2854



V2846



- Design with manometer
- Non-drip quick coupling
- For all hydraulic cylinders


36



**V4680**
**EAN 4047728046800**

## Compact wheel bearing removal / installation set


- For removing and installing compact wheel bearings with or without circlip
- Use with hydraulic cylinder, mechanical spindle or workshop press
- Max. load: 22 t
- Pump not included in delivery
- For e.g.:
  - **VOLKSWAGEN:** Polo, Lupo, Touareg, Fox, T5 front and rear, Crafter
  - **AUDI:** A2
  - **SEAT:** Ibiza, Córdoba
  - **ŠKODA:** Fabia, Rapid, Roomster
  - **FORD:** Focus, C-Max, Mondeo, S-Max, Kuga, etc.



## Basic set



Compact wheel bearing



**16**
**V5554-2**
**EAN 4047728069021**

## Expansion set

- Also included: Pneumatic foot pump V2846 and tractive and compressive hydraulic cylinder 22 t V2854



V2846



- Design with manometer
- Non-drip quick coupling
- For all hydraulic cylinders



Hydraulic cylinder including accessories


**28**
**V4491-A**
**EAN 4047728081764**

## Centring aid for compact wheel bearings

- Guided and tilt-free installation of compact wheel bearings
- Depending on the wheel bearing manufacturer, problems may arise during installation. By using the centring aid, wheel bearings that have not been chamfered can also be fitted without any problems.
- Together with universal wheel bearing installation set V4491
- Internal centring for the diameters of the compact wheel bearings:
  - 26.4 mm = 78 mm
  - 27.2 mm = 92 mm
  - 27.4 mm = 72 – 78 mm
  - 29.5 mm = 82 mm
  - 29.6 mm = 85 mm


**6**

V7026N-2

EAN 4047728085656

## UNIVERSALO 2 Specialty tool assortment

# UNIVERSALO 2



V7201N



### Compact wheel bearing removal / installation set

- For removing and installing compact wheel bearings with or without circlip
- Adjustability enables use on all types of currently available and future compact wheel bearings



V2846



### Pneumatic foot pump

- Design with manometer
- For all hydraulic cylinders
- Working pressure: 700 bar
- Hose length: 2.2 m
- Oil tank: 1.3 l



V4906N-1



### Standard wheel bearing removal / installation set

- New effective method for removing wheel hubs; the use of wheel bearing set V4598 is recommended here.
- The set also functions with steering knuckles with uneven and limited surfaces
- Mounting washers with Ø 62 – 83 mm and support discs with Ø 34 – 60 mm are included, the bearing shell is suitable for wheel bearings of up to 92 mm Ø



V5549-1N



### Compact wheel bearing expansion set

- Set contains 4 extensions:
  1. Disassembly feet for bolted compact wheel bearings (3 bolts)
  2. Disassembly feet for bolted compact wheel bearings (4 bolts)
  3. Removal unit of the wheel hub without prior removal of the drive shaft
  4. Removal unit of the screwed wheel bearing without prior removal of the drive shaft
- Especially for expanding and completing compact wheel bearing sets

V6395



Including container for storing the pump



V5009



2x



V4904




### Set of devices for the removal of drive shafts

- For passenger cars with T4 and 5-hole wheel hubs due to oval holes for wheel bolts
- Avoids damage to the drive shaft and surrounding parts, as heating is no longer necessary



V7071






V7201N

## Compact wheel bearing removal / installation set

- For removing and installing compact wheel bearings with or without circlip
- Adjustability enables use on all types of currently available and future compact wheel bearings



UNIVE



Installation



Removal



V4906N-1

## Standard wheel bearing removal / installation set

- New effective method for removing wheel hubs; the use of wheel bearing set V4598 is recommended here. The set also functions with steering knuckles with uneven and limited surfaces
- Allows the wheel bearings to be changed directly on the vehicle with minimum effort
- Mounting washers with  $\varnothing$  62 – 83 mm and support discs with  $\varnothing$  34 – 60 mm are included, the bearing shell is suitable for wheel bearings of up to a  $\varnothing$  of 92 mm



V5549-1N

## Compact wheel bearing expansion set

- Set contains 4 expansions:
  1. Disassembly feet for screwed compact wheel bearings (3 bolts)
  2. Disassembly feet for screwed compact wheel bearings (4 bolts)
  3. Disassembly unit of the wheel hub without prior removal of the drive shaft
  4. Disassembly unit of the screwed wheel bearing without prior removal of the drive shaft
- Especially for expanding and completing compact wheel bearing sets
- In conjunction with the V4680 base unit, all compact wheel bearings available on the market can be removed / installed



Screwed wheel bearing units – 3 bolts



Screwed wheel bearing units – 4 bolts



Removal of the wheel hub without removing the drive shaft



Removal of the wheel bearing without removing the drive shaft



V7722N

## Press frame expansion set

- Set contains:
  - 14 t compressive hydraulic cylinder including thrust rod M 24
  - Support set 275 mm
  - Open plate including screws M 16 x 40 mm



V7723

## Drawbar expansion set

- Universal expansion for 18 t and 22 t hydraulic cylinder
- Spindle set makes it possible to remove and insert even more bushings and bearings with various inside diameters
- Set contains:
  - Adapters: M 22 – M 10 · M 22 – M 12 · M 22 – M 14 · M 18 – M 22
  - 4 drawbars including flange nuts: M 10 x 1.5 · M 12 x 1.75 · M 14 x 2.0 · M 20 x 2.5
  - Striker nut M 18



## UNIVERSALO 1



V5741N

### Rear axle longitudinal control arm · silent block FORD, MAZDA, Volvo

- For changing the bushing of the front longitudinal strut in the rear area and for changing the rear axle bushings
- Bushing and press frame can withstand loads of up to 22 tonnes



**VIGOR XL**  
SERIES

V7030-2

EAN 4047728077323

### UNIVERSALO 1 Specialty tool assortment

141



### Pressure sleeve set

- Including 24 pressure pieces of different sizes
- Sleeves with small diameters are reversible
- Adapter and pressure shaft enable application of the press frame V2885–useful when removing or installing bushings and supporting joints without holes

» **Now even  
more fields of  
application!**




V5066



### Pneumatic foot pump

- Design with manometer
- For all hydraulic cylinders
- Working pressure: 700 bar
- Hose length: 2.2 m
- Oil tank: 1.3 l



V2846



700 bar



1.3 l



2.2 m



V6395

Incl. container for storing the pump.



### Ball joint ejector

- Set for universal removal of ball joints with 4.5 t compressive force
- Contains hydraulic unit V5916 and expansions V5916-1 and V5916-2
- V5916-1: Pressing out ball joints as well as steering tie rod ends, with bolts instead of nut threaded connections on the cone axis
- V5916-2: For ball joint pins with a length over 72 mm



V7724



V5916

### Set of devices for the removal of drive shafts

- For passenger cars with T4 and 5-hole wheel hubs due to oval holes for wheel bolts
- Avoids damage to the drive shaft and surrounding parts, as heating is no longer necessary



V4904



**V8703**
**EAN 4047728087032**

32t	SUV Van
-----	------------

## Wheel bearing / brake disc pressure plate for FORD Transit

- Pressure plate for removing the front wheel bearing, **FORD** Transit from 2014
- The pressure plate presses on the outer bearing housing and prevents damage to the bearing and ABS sensor when replacing the front brake disc
- With an outer diameter of 86.4 mm, it is suitable for **FORD** Transit models from 2014
- The thrust block supports itself against the outer bearing ring in order to deflect pressure from and avoid damage to the ABS sensor and bearing
- Adapter is used together with the set V2879



**V5916**
**EAN 4047728059817**

## Ball joint ejector

- For the hydraulic removal of the ball joint pivots on steering tie rods as well as stabilisers with a maximum compressive force of 4.5 tonnes




# 4.5t


**V7724**
**EAN 4047728077286**

## Ball joint ejector

- Set for universal removal of ball joints with 4.5 t compressive force
- Contains hydraulic unit V5916 and expansions V5916-1 and V5916-2
- V5916-1: Removal of ball joints and steering tie rod ends with bolts instead of nut threaded connections on the cone axis
- V5916-2: For ball joint pins with a length over 72 mm




**V5916-XL**
**EAN 4047728066471**

## Ball joint ejector

- Hydraulic removal of ball joint pivots on steering tie rods and stabilisers, or on steering and brake levers for trucks and buses, with a maximum compressive force of 8.8 tonnes



# 8.8t




**V8327**

EAN 4047728**083270**



## Axle shaft removal set - wheel side

- Powerful, efficient removal tool for outer homocinetic joint
- Prevents pulling, hammering and damage to the spherical joint bearing
- Contains 5 kg sliding hammer and strong axle support with chain tensioner
- Enables removal directly on the vehicle
- Secures the joint in the puller to prevent accidents and dirt
- Sliding hammer V2922 M18 x 2.5



5



**V8327-1**

EAN 4047728**083287**



## Axle shaft puller, outer joint

- Extension for removal of the homocinetic joint
- Additional sliding hammer V2922 is required
- Socket M18 x 2.5





**V7862**

EAN 4047728**078627**



## Axle shaft removal set

- Removal of the inner axle shaft from the gearbox unit
- Full gripping of the axle shaft prevents damage caused by hammering or pulling
- Variable settings of the axle shaft holder allow optimum access to the shaft
- Depending on the installation situation, the holder can be disassembled into two parts and clamped around the axle shaft
- Universally adjustable holder allows use from small cars to commercial vehicles
- Use with 5 kg sliding hammer V2922



3


**V4476N**

EAN 4047728068000



## Hydraulic spring vice

- Can be used for almost any strut and shock absorber in passenger cars as well as lightweight vans
- By gripping the springs within the spring windings any possible awkward parts on the shock absorber are irrelevant and have no influence on the operation of the spring vice
- Tripod with included rollers enables stowing and mobile work with the spring vice



Take a look!



16

**A safety tool  
with technical sophistication!**

**2.1t**

**V4476N/2**

EAN 4047728084512

## Expansion set

- Hydraulic spring vice V4476N including hydraulic foot pump V2847




700 bar 0.75 l 2.2 m

- Non-drip quick coupling
- For all hydraulic cylinders

17

## Including 10 spring plates

Ø 70 – 160 mm



Ø 150 – 240 mm



Ø 150 – 240 mm



## ① Pre-tensioning the spring

## ② Tensioning the spring

## ③ Support device

